Appl. No. 09/501,876 Amendment dated May 2, 2005 Reply to Office Action of January 31, 2005

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1-76. (Canceled)

77. (Currently Amended) A method of using liquid cleaning composition washing wares comprising:

providing a vesselthird sink containing a liquid composition in which the pH is buffered at about 5.5 to about 7, the composition further comprising:

dye comprising FD&C dye No. 4 or FD&C dye No.3, that was provided from a solid dye composition of particle size greater than about 500 microns and density less than 0.9 gram-cm³; and

chlorine source comprising alkali metal dichloroisocyanurate dihydrate; whereby the combination of pH, dye, and chlorine produces dye-color in the composition that fades to absence of the dye-color over 3-18 hours;

the vesselthird sink providing liquid composition that is useful for cleaning or sanitizing wares while the composition is dye-colored;

contacting wares with the composition in the third sink;

monitoring the dye-color of the liquid composition in the vesselthird sink; and replacing or replanishing the liquid composition when the dye-color is nearly or completely absent;

washing wares in the replenished third sink;

wherein the ware is permitted to dry without contact with mechanical action or an aqueous solution.

78. (Currently Amended) The method of claim 77, wherein the <u>wares comprise</u> dishwashing ware, glass or metal ware, including plates, cups, and coffee mugs or cupsvessel is a third sink.

Appl. No. 09/501,876
Amendment dated May 2, 2005
Reply to Office Action of January 31, 2005

- 79. (Previously Presented) The method of claim 78, wherein the liquid composition in the third sink completely loses dye-color within about 3 to about 6 hours.
- 80. (Previously Presented) The method of claim 77, wherein the vessel is a spray bottle.
- 81. (Previously Presented) The method of claim 80, wherein the liquid composition in the spray bottle completely loses dye-color within about 3 to about 18 hours.
- 82. (Previously Presented) The method of claim 77, wherein the chlorine source comprises encapsulated alkali metal dichloroisocyanurate dihydrate.
- 83. (Currently Amended) A third sink used for washing wares containing Aan aqueous liquid cleaning composition consisting of emprising:

a liquid composition in which the pH is buffered at about 5.5 to about 7, the liquid composition further comprising:

dye comprising FD&C dye No. 4 or FD&C dye No.3, that was provided from a solid dye composition of particle size greater than about 500 microns and density less than 0.9 gram-cm³; and

a chlorine source comprising an alkali metal dichloroisocyanurate dihydrate; whereby the combination of pH, dye, and chlorine produces dye-color in the composition that fades to absence of the dye-color over 3-18 hours.

- 84. (Currently Amended) The third sinkliquid composition of claim 83, wherein the chlorine source comprises encapsulated alkali metal dichloroisocyanurate dihydrate.
 - 85. (Canceled)
- 86. (Currently Amended) The third sinkmethod of claim 835, wherein the liquid composition in the third sink completely loses dye-color within about 3 to about 6 hours.

Appl. No. 09/501,876
Amendment dated May 2, 2005
Reply to Office Action of January 31, 2005

- 87. (Currently Amended) The third sinkmethod of claim 83, wherein the vessel is a spray bottle.
- 88. (Currently Amended) The third sinkmethod of claim 87, wherein the liquid composition in the spray bottle completely loses dye-color within about 3 to about 18 hours.

89-97. (Canceled)